



VER-MAC

## SP-710V TRAILER-MOUNTED SPEED SIGN


Ver-Mac's SP-710V is a battery and solar-powered trailer-mounted speed sign, with 2-digit high-definition display. It features our Stealth Technology, V-Touch SP Controller, JamLogic® Fleet Management Software and state-of-the-art doppler radar.

Our speed sign is designed to display real-time speed information to the motoring public, reducing speeds and providing a safer environment.

The SP-710V is perfect to bring speed awareness to highway construction projects, school zones and urban areas.



MUTCD  
COMPLIANT



### V-TOUCH SP CONTROLLER

#### HANDHELD

Take the controller from the sign case to safely change speed parameters away from the trailer

#### EASY-TO-READ

3.75 in (95 mm) pressure-sensitive black and white display screen with intuitive interface

#### INTUITIVE ICONS

Quickly select speed parameters and blink option

#### BACKLIT SCREEN

Perfect for nighttime use

#### REAL-TIME DISPLAY

View speed display, battery voltage level, and other key elements

#### STEALTH MODE

Speed is not displayed, but data is collected\*

\*Requires data logger option

#### APPLICATIONS

- Law enforcement
- Smart Work Zones
- Speed awareness
- Traffic studies

## STEALTH TECHNOLOGY

### CLEVERLY HIDDEN BATTERY COMPARTMENT

Deter thieves from stealing batteries

### LONG-LASTING SEALED BATTERIES

No maintenance required

## DOPPLER RADAR

- Picks up average speed and vehicle count up to 2000 ft away
- Up to 2 lanes / directional
- No calibration needed
- Integrated into the sign

## JAMLOGIC® FLEET MANAGEMENT SOFTWARE (OPTIONAL)

Equip the SP-710V with a high speed modem with GPS to monitor and collect data with JamLogic® automation. All data is stored in JamLogic®. Run your own reports monthly, weekly, daily or custom, and export them to Excel. JamLogic® allows you to have all the traffic data at your fingertips.

## STATISTICS (OPTIONAL)

This option allows you to collect the average speed and number of vehicles approaching (directional). Data can be downloaded via a USB key at the trailer, or remotely through JamLogic® (modem option required).

## DISPLAY

- Speed display sign: 36 x 36 in. (885 x 914 mm)
- Display: 2 - digits (mph)
- 18 in. characters—visible up to 305 m (1000 ft away)
- 4 LEDs per pixel
- Can accommodate 36 x 48 in. and 30 x 24 in. static signs - not included
- Bottom of static sign 7' above roadway
- Plug & play display modules for simplified maintenance

## WARRANTY

- 1 year on complete trailer
- 2 years on electronic components manufactured by Ver-Mac



## POWER SUPPLY CONFIGURATION

### OPTI POWER LENS

Designed to maximize each LED's output and utilize less energy.

### SOLAR PANEL

Provides maximum solar recharging year-round

- The standard battery/solar configuration is designed to run 12 months in most regions without manual charging

## HIGH-QUALITY CONSTRUCTION

### SUPERIOR POWDER COATING FINISH

Impact, humidity, salt spray and rust resistant

### 4 ADJUSTABLE STABILIZER LEGS

For stabilization and easy deployment and transportation

### TONGUE WHEEL JACK

Safe and easy trailer set up

### REMOVABLE TONGUE

Saves space for storage

### MANUAL LIFT MECHANISM

Enables quick deployment

### 2-IN. (51 MM) COUPLER OR 3-IN. (76 MM) PINTLE EYE

For easy towing

## DIMENSIONS AND WEIGHT

- Operating length: 142 in. (3614 mm)
- Overall width: 70.37 in. (1787.52 mm)
- Operating height: 134 in. (3391 mm)
- Traveling height: 106.94 in. (2716.15 mm)
- Traveling length: 133 in. (3367 mm)
- Weight (approx.): 830 lb (376 kg)

## OPTIONS

- Battery charger
- Modem with GPS
- Data plan (requires modem)
- Statistics
- Rear leveling swivel jacks
- Strobe lights

Other options are available to meet your needs.

