



VER-MAC

SP-3248V TRAILER-MOUNTED SPEED SIGN

Ver-Mac's SP-3248V is a battery and solar-powered trailer-mounted radar speed sign, with high-definition full-matrix display. It features our Stealth Technology, V-Touch SP Controller, JamLogic® Fleet Management Software and state-of-the-art doppler radar.

Our radar speed sign is designed to display real-time speed information (in mph) and feedback messages to the motoring public, reducing speeds and providing a safer environment. The SP-3248V is perfect to provide speed awareness in highway construction projects, school zones, and other urban areas.



MUTCD
COMPLIANT



Ability to display feedback messages!

V-TOUCH SP CONTROLLER

HANDHELD

Take the controller from the sign case to safely change speed parameters away from the trailer

EASY-TO-READ

3.75 in (95 mm) pressure-sensitive black and white display screen with intuitive interface

INTUITIVE ICONS

Quickly select speed parameters and blink option

BACKLIT SCREEN

Perfect for nighttime use

REAL-TIME DISPLAY

View speed display, battery voltage level, and other key elements

STEALTH MODE

Speed is not displayed, but data is collected*

*Requires data logger option

APPLICATIONS

- Law enforcement
- Smart work zones
- Speed awareness
- Traffic studies

STEALTH TECHNOLOGY

CLEVERLY HIDDEN BATTERY COMPARTMENT

Deter thieves from stealing batteries

LONG-LASTING SEALED BATTERIES

No maintenance required

DOPPLER RADAR

- Picks up average speed and vehicle count up to 2000 ft away
- Up to 2 lanes / directional
- No calibration needed
- Integrated into the sign

JAMLOGIC® FLEET MANAGEMENT SOFTWARE (OPTIONAL)

Equip the SP-3248V PRO Series with a high speed modem with GPS to monitor and collect data with JamLogic® automation. All data is stored in JamLogic®. Run your own reports monthly, weekly, daily or custom and export them to Excel. JamLogic® allows you to have all the traffic data at your fingertips.

STATISTICS (OPTIONAL)

This option allows you to collect the average speed and number of vehicles approaching (directional). Data can be downloaded via a USB key at the trailer or remotely through JamLogic® (modem option required).

DISPLAY

- Speed display sign : 35 x 36 in. (885 x 914 mm)
- Full-matrix display: 32 x 48 pixels
- 19.6 in. (498 mm) speed display digits
- High-definition display cards
- 1 LED per pixel
- Automatic brightness adjustment
- Can accommodate 36 x 48 in. and 30 x 24 in. static signs - not included
- Bottom of static sign 7' above roadway
- Plug & play display modules for simplified maintenance

WARRANTY

- 1 year on complete trailer
- 2 years on electronic components manufactured by Ver-Mac

POWER SUPPLY CONFIGURATION

HIGH-CONTRAST ELECTRONIC CARDS

Create bold and bright characters with greater angularity

SOLAR PANEL

Provides maximum solar recharging year-round

- The standard battery/solar configuration is designed to run 12 months in most regions without manual charging

HIGH-QUALITY CONSTRUCTION

SUPERIOR POWDER COATING FINISH

Impact, humidity, salt spray and rust resistant

4 ADJUSTABLE STABILIZER LEGS

For stabilization and easy transportation

TONGUE WHEEL JACK

Safe and easy trailer set up

REMOVABLE TONGUE

Saves space for storage

MANUAL LIFT MECHANISM

Enables quick deployment

2-IN. (51 MM) COUPLER OR 3-IN. (76 MM) PINTLE EYE

For easy towing

DIMENSIONS AND WEIGHT

- Operating length: 142 in. (3614 mm)
- Overall width: 70 in. (1788 mm)
- Operating height : 134 in. (3391 mm)
- Traveling height: 108 in. (2754 mm)
- Traveling length: 133 in. (3367 mm)
- Weight (approx.): 830 lb (376 kg)

OPTIONS

- Battery charger
- Modem with GPS
- Data plan (requires modem)
- Statistics
- Rear leveling swivel jacks
- Strobe lights

Other options are available to meet your needs.

